

Al AppPack Server A5208 & Al Mini Server N1100

Al Deep-Learning for sophisticated video analytics, for both Rack Server and Mini Server: Face Recognition, LPR, Behavior Analysis, & Vehicle Classification

To ease system integration complexity, except for an "open-platform" VMS, GVD now has more products and features to help the VMS quickly engage in the most sophisticated AI VCA today, such as NEC, IBM, & ITRI Taiwan.

The **Al Mini Server N1100** is an Al server to be installed on the street. It is powered by TX2 GPU of 256 CUDA cores to speed up data process & analysis. It supports trained Al models and works excellently for all Al scenarios. The **Al AppPack Servers A5208**, on the other hand, is an Al server to be deployed in a server room. The product has dual CPUs and supports up to four GPUs for high-speed video process.

GVD Al servers feature exclusive "virtual channels" to maximize the number of channels that need to run Al.

- Exclusive "Virtual Channels" to bust the high-price of Al
- Top Al performance with dual CPUs and four GPUs
- Open Platform design to support leading Al players: IBM, NEC, ITRI, & GVD
- Al modeling for LPR, vehicle classification, human behavior, and face recognition.
- GVD PASIA[™] to make your Ai solutions from better to the best

so as to minimize the cost of Al.

GVD uses the latest AI modeling to provide the best accuracy of LPR, vehicle classification, human behavior analysis, and face recognition. GVD LPR, in particular, is proven to have excellent accuracy both day-time and night-time

Another enhancement is PASIA[™], a highly tailor-made service to help customers annotate the video images collected by the **Al AppPack Servers** or **Al Mini Server** to build a useful dataset for Deep-Learning.

GVD **Al AppPack Server** and **Al Mini Server** can quickly join a large project that relies heavily on Al analytics. They are your best choice for a reliable, accurate, and fast neural network.





Software Features

Al Modelling for LPR, traffic, behavior, and face recognition



GVD leverages the latest YOLO modeling, CNN (Convolutional Neural Network), and Deep-Learning, to provide the best accuracy in the market, even in a defective angle of the camera. GVD LPR is proven to have the best accuracy

both day-time and night-time.



GVD VMS tracks down a vehicle by LPR

Exclusive "Virtual Channels" for Al

A "Virtual Channel" is a channel getting AI resources from a physical AI channel that reads only keyframes to save AI resources. "Virtual Channels" can maximize the number of the channels that need to run AI and substantially reduce the cost of AI.




GVD 3D People-Counting by AI, combining POS system

Open Platform for quick Al engagement



GVD's AI servers are designed for an "open platform", such as GVD VMS. Within a very short time, these servers can put the VMS to work with today's most sophisticated 3rd-party AI, including those of NEC, IBM, TechnoAware,



GVD VMS 4.0 quick integration with 3rd-party Al

PASIA™ to make your Al solutions from Better to the Best

PASIA[™], "Per-Scenarios-Self-Improved AI", is a service to help customers annotate the video images collected by GVD **VMS** to form a useful and larger dataset for the next phase of the *Deep-Learning* to improve the accuracy of video detection and recognition.

GVD PASIA™ service is proceeded by GVD AI technical engineers who are experienced in AI video polishing process as part of GVD after-sales service consultation.



GVD Application iGlance integrates the alarms of an app



A5208 for Face Recognition

The independent NIST testing has repeatedly confirmed **NEC**'s Facial Technology recognition and matching capability as the world's fastest and most accurate across all benchmarks and challenging conditions.


NEC Facial Technology couples recognition with real-time identification, verification, and situation analysis for quick decision-making, preemptive security, and smoother services.

Installed in over 1,000 major systems in more than 70 countries and regions worldwide, **NEC** Facial boasts a stellar track record and wealth of practical experience.

GVD **VMS** has integrated **NEC** Facial Technology as parts of GVD **AppPack Server** systems to have provided complete solutions to retail, banking, hotel, etc with GVD **VMS** powerful toolkits: *CaseBuilder*, *eMap*, and *iGlance*.


GVD features

- Retrieves a face hit on-map
- Retrieves a face hit with relevant video
- Supports watch lists of face hits
- Supports the setup of face hit alarm (with GVD Rule Wizard)
- Pushes face hit notices onto mobile phones and tablets
- Documents your investigation of faces (with GVD CaseBuilder)




3

2025-09-06



Vehicle classification

People has been using Al to improve city traffic. A city installs HD cameras to collect and pass images to cloud Al for vehicle classification, like sedans, buses, trucks, scooters, mopeds, motorcycles, etc. So, the video system can estimate vehicle speeds, calculate traffic flow, and improve traffic while saving city police workforce. However, sicne urban environment is frequently complex, GVD use "Deep Learning" that works like human brains to tell various vehicle types by merely looking at it. With GVD, traffic prediction is highly accurate.



LPR

GVD LPR is diversified optimized. Hardware-wise, it uses nVIDIA GPU to boost image processing. Software-wise, it uses the latest AI, including YOLO, CNN, Deep-Learning, and GVD proprietary $PASIA^{TM}$ to get the best accuracy even in defective camera angles. Budget-wise, it features "Virtual Channels" to maximize the available AI channels. Functionwise, it features an "AI-Polarizer" that uses multiple filters to quickly retrieve a specific vehicle from a large video source.



Exclusive Virtual Channels

GVD AI products feature exclusive "virtual channels" to bust the high-price of AI. "Virtual channels" deal with "per-frame" analysis, which means a physical AI channel only needs to read the key frames for analysis to save AI resources to other non-physical AI channels.

Behavior analysis

As terrorist attacks became more often across the globe in the past two decades, people are increasingly concerned about their safety in some public places, such as bus stations, subways, building lobbies, or shopping malls.


GVD's **Al AppPack Server A5208** leveragesmax. 4 GPUs to accelerate data process to pinpoint and analyze object behaviors in a complex environment with accuracy.

For example, in an ATM arcade, behavior analysis can detect and alarm when a person lingers for a prolonged time. On the staircase of a bus terminal, behavior analysis can alarm when a tourist remains for longer than a defined time, or in a healthcare center, behavior analysis can watch whether an aged falls.





System Architecture



5

2025-09-06

Ordering Information

Part No.	Description		
A5208-FGC-NE04C02K	NEC SFA Server	4 x NEC SFA F-Ch, with 2,000 targets and 300K records, supporting 20 x V-Ch, 80fps, CaseBuilder	
A5208-FGC-NE16C05K	NEC SFA Server	16 x NEC SFA F-Ch, with 5,000 targets and 300K records, supporting 80 x V-Ch, 80fps, CaseBuilder	
A5208-FGC-NE20C10K	NEC SFA Server	20~x NEC SFA F-Ch, with 10,000 targets and 300K records, supporting 100 x V-Ch, 80fps, CaseBuilder	
A5208-KNG-NE20C03K	NEC SFA-Ready Server	Opt.: Max. 20 x NEC SFA K-Ch, with 3,000 targets and 300K records, supporting 20~100x V-Ch, 80fps, CaseBuilder	
A5208-LPR	GVD LPR Server	Supporting 55~200 x V-Ch, 110fps, 2x~5x playback speeds, iGlance, CaseBuilder	
A5208-TRC	GVD Vehicle Classification Server	Supporting 70~200 x V-Ch, 200fps, 4x~10x playback speeds, iGlance, CaseBuilder	
A5208-BHA	GVD Behavior Analysis Server	Supporting 20~60 x V-Ch, 60fps, 2x~4x playback speeds, iGlance, CaseBuilder	
N1100-LPR	GVD LPR Edge Node	Supporting 4~20 x V-Ch	
N1100-TRC	GVD Vehicle Classification Server	Supporting 4~20 x V-Ch	
N1108-MTX	GVD Multi-Al Analysis Server	Supporting 8-24 V-Ch, 80 fps, iGlance, CaseBuilder, face detection, facial recognition, face mask detection, clothes color, vehicle classification, fire smoke detection, heat map and blacklist alarms etc.	

Hardware Specifications





Product		A5208-FGC / KNG	A5208-TRC/BHA/LPR	N1108-MTX
Description		Al AppPack Server-NEC	Al AppPack Server	Al Analysis Server
System	CPU	Dual CPUs: Intel® Xeon® Silver 4210R		8-core ARM A53 @ 2.3GHz
	Memory	64GB DDR4		12GB
	OS	Windows® 10 IoT Enterprise		Linux OS
	Watchdog	Hardware watchdog & software watchdog		
Storage	Interface	3.5" (Hot-swap)		
	Disk tray	8		
	Storage capacity	8 x 20TB		
	RAID level	N/A		
Display	Output	1 x VGA		1 x HDMI
	GPU	2x RTX 3080		
	Local display resolution	4096 x 2160		8192 x 8192
Network	Interface	2 x 10GbE		1 x 10/100/1000 Mbps
	Protocols	IPv4, TCP/IP, UDP, HTTP, HTTPs, SMTP, SNMPv2, DNS, DDNS, DHCP, NTP, ARP, ICMP, FTP, RTSP/RTP/RTCP, IGMPv3, UPnP, CIFS, NFS		RTSP、RTMP
Interface	USB port	Front: 2 x USB3.0; Rear: 2 x USB3.0 + 2 x USB2.0		2 x USB 3.0
	Serial COM port	1 x		
Power	Voltage	100-240 Vac, 50-60Hz		
	Redundancy	Yes		N/A
	PSU	2200W 1+1 redundant power supply,		
Environment	Operating temp.	0~35°C (32~95°F)		-20°C ~ +60°C (with airflow) -20°C ~ +55°C (no airflow)
	Storage temp.	-20~60°C (-4~140°F)		-20°C ~ +60°C
	Operating humidity	10~85%@40°C		10% ~ 90% (Non-condensing)
	Storage humidity	10~95%@40°C		10% ~ 90% (Non-condensing)
Mechanic	Chassis	4U rackmount		Mini Server
	Certification	CE, FCC		IP40
	Dimensions (W)x(H)x(D)	178 x 462 x 673mm		170 x 43.6 x 185 mm
	Net weight w/o HDD	20.9kg		